
*All Items are 10/pack Connectors Bore 3 mm #04-715630 Ext. Dia. 4 mm Wod-715634 Ext. Dia. 7 mm Bore 8 mm Ext. Dia. 10 mm

Adapters

#04-715648

Bore 17 mm

Ext. Dia. 19 mm





Catheter Mounts/Adapters




#04-718720

Straight Connectors





"Y" Connectors



Fiber Optic and Anesthesia Bronchoscope Swivels

- Silicone Diaphragm allows access of fiber optic bronchoscope without significant loss of PEEP.
- Smooth surfaces are gentle to expensive bronchoscope equipment.

- · Slip-proof design
- Removable cap
- Reusable

#GZ-BE10522 Swivel with 15mm I.D. patient connection X 22mm O.D. flex tube connection.

#GZ-BE1053 Anesthesia Swivel with suction port 15mm I.D./22mm O.D. patient connection x O.D. equipment connection.

#GZ-BE1057 Swivel with 15mm I.D patient connection x 15mm O.D. equipment connection.

#GZ-BE1058 Anesthesia Fiber Optic
Bronchoscope Swivel with 15mm
I.D./22mm O.D.patient connection x
O.D. equipment connection.



Swivel Adapter with Two Fiber Optic Bronchoscopy Caps

This adapter swivels to allow the respiratory circuit to assume a natural angle, reducing drag and uncomfortable pressure. To allow for bronchoscopy procedures, a special cap, fitted over the suctioning port, has a flexible diaphragm that seals around the bronch/fiberscope. 25/box

Item Number #04-625191




Lightweight Swivel Adapter

This lightweight adapter features a port for suctioning. It swivels in two planes, allowing the respiratory circuit to assume a natural angle so that it does not drag and cause uncomfortable pressure on the margin of the stoma.

15mm connections

#04-525150	Bulk packaged, non-sterile 50/box
#04-525151	Swivel Adapter, angled, sterile 50/box
#04-525351	Swivel Adapter, angled with Peep Keep™ insert, sterile 50/box
#04-525350	Swivel Adapter, angled with Peep Keep™ insert, non-sterile 50/box



SWIVEL ADAPTER

#EG-MC-4450 50/box

Dual swivel angled trach connector approx. 105° angle







FLEX CONNECTORS

REUSABLE

SEMI-CLEAR (*LF)

Lightweight, Polyester elastomer

Flexible 9/16" smooth I.D. tubing with rigid 15mm male by silicone 15mm female ends. Autoclavable.

6" overall length #19-00-436-6 9" overall length #19-00-436-9 12" overall length #19-00-436-12

EPDM SYNTHETIC RUBBER (*LF)

Flexible EPDM synthetic rubber connectors with 15mm male by 15mm female ends. Lengths to 36" available upon request. Available with delrin, stainless steel, or aluminum ends.

	DELRIN	STAINLESS	ALUMINUM
		STEEL	
3" overall length	#19-00-435-3	#19-00-438-3	#19-00-439-3
6" overall length	#19-00-435-6	#19-00-438-6	#19-00-439-6
9" overall length	#19-00-435-9	#19-00-438-9	#19-00-439-9
13" overall length	#19-00-435-13	#19-00-438-13	#19-00-439-13

TEFLON (*LF)

Flexible Teflon Connector with 15mm male by 15mm female ends. The ends are threaded to screw into the convolutes of the tubing making an easy to assemble connection of different lengths. It is a long-lasting, lightweight, translucent, and heat sterilizable connector. Other lengths available upon request.

5-1/2" overall length #19-00-483

CHROME-PLATED BRASS

Flexible Chrome-plated Brass Connector with 15mm male by 15mm female ends. Automatically retains bent shape.

4" overall length #19-00-484

RACINE TYPE ENDOTRACHEAL **TUBE CONNECTOR**

Clear Adult. Fits 7.0mm to 10.5mm



*LF = Latex Free



ELBOWS

Aluminum: Non-Conductive (*LF)

Lightweight; Latex-free, Anodized

Mask Elbow (Sampling)

#19-00-224

With female Luer lock sampling port. Machine end 15mm male. Patient end is nominal 22mm male and 15mm female.

Inhalant Mask Elbow

#19-00-227

For use with metered dose canister (not supplied) for in-line bronchodilation with port to accept canister and cap. Machine end is 15mm male. Patient end is nominal 22mm male and 15mm female.

Mask Elbow (CPAP)

#19-00-229

Elbow with feed tube (1/4") coming in the top, spring-loaded pop-off valve, and 1/4" connection for pressure manometer. Machine end is 15mm male. Patient end is nominal 22mm male and 15mm female.

With the fresh gas feed tube within 9/16" of the mask fitting, the kinetic energy of the incoming gases decreases dead space in the elbow.

Mask Elbow "T" Tube

#19-00-232

Machine end is 15mm male. Patient end is nominal 22mm male and 15mm female with ventilating thumb port.

Mask Elbow

#19-00-233

Machine end is 15mm male. Patient end is 22mm male and 15mm female.

Norman Type Mask Elbow

#19-00-234

Machine end is 15mm male. Patient end is 22mm male and 15mm female. Includes fresh gas feed nipple (1/4") coming down through the top to within 9/16" of the mask fitting. The kinetic energy of the incoming gases decreases dead space in the elbow.

Mask Elbow with Pop-off

#19-00-247

Machine end is 22mm male. Patient end is nominal 22mm male and 15mm female. Includes large sized adjustable pop-off valve.

Endoscopy Elbow, Pediatric

#19-00-249

Based on **#19-00-233** elbow, with adapter, diaphragm (silicone) and cap to allow direct endoscopy access while ventilated.

ELBOWS

Plastic (*LF)

Lightweight; Latex-free

Mask Elbow with Pop-off

#19-00-223

Machine end is 22mm male. Patient end is nominal 22mm male and 15mm female. Includes large sized adjustable pop-off valve. (Same as **#19-00-247** but in plastic).

CONDUCTIVE NEOPRENE (*LF)

Features:

Latex-Free.

Lightweight.

Autoclavable. CAUTION: Separate components before sterilizing. Will not dent when dropped.

Catheter "Y's" have 15mm stainless steel insert.








Mask Elbow #19-00-452 Mark Elbow with 15mm male on machine end. Patient end is nominal 22mm

male with taper and shoulder for secure fit in masks and 15mm female for tracheal connectors.



#19-00-452-P

Same as #19-00-452 above but with a spring-loaded, adjustable pop-off valve.

Mask Elbow with Side Inlet

#19-00-452-I

Same as #19-00-452 above but with side inlet for introducing gases at the patient.

Mask Elbow with Side Inlet and Pop-off

#19-00-452-IP

Same as #19-00-452-I but with a spring-loaded, adjustable pop-off valve.



#19-00-452-IP

#19-00-452-I

CHROME-PLATED BRASS (*LF)

Curved 90° with Capped Suction

#19-00-315

15mm male to 15mm female, with 3/8" suction tube and cap.

Curved 90° with Suction

#19-00-316

15mm male to 15mm female, with 1/4" suction tube.

Curved 90°

#19-00-317

15mm male to 15mm female.

Curved 45°

#19-00-318

15mm male to 15mm female.

#19-00-319



#19-00-316

#19-00-315



15mm male to 15mm female.







#19-00-317

Keets Type Hanks-Rackow Elbow, Side Inlet #19-00-443-A

15mm male on machine end. Patient end is 22mm male and 15mm female with a 1/4" side inlet which extends down to within 9/16" of the mask fitting, permitting an ideal "T" Tube principle for the flushing of the exhaled gas from under a mask.

Keets Type Hanks-Rackow Elbow, Top Inlet #19-00-443-B

15mm male on machine end. Patient end is 22mm male and 15mm female with a 1/4" top inlet which extends down to within 9/16" of the mask fitting, permitting an ideal "T" Tube principle for the flushing of the exhaled gas from under a mask.

Keets Type Hanks-Rackow Elbow, Top Inlet, #19-00-482 Side Port

15mm male on machine end. Patient end is 22mm male and 15mm female with a 1/4" top inlet which extends down to within 9/16" of the mask fitting, permitting an ideal "T" Tube principle for the flushing of the exhaled gas from under a mask. Also has a 1/4" side port.



#19-00-443-B





Hanks-Rackow Elbow

#19-00-132

15mm male on machine end. Patient end is nominal 22mm male and 15mm female.

Hanks-Rackow Elbow with Side Inlet

#19-00-133

15mm male on machine end. Patient end is 22mm male and 15mm female with a 1/4" side inlet for introducing fresh gas at the patient.

CPAP ELBOWS

Elbows with feed tube (1/4") coming in the top, spring-loaded pop-off valve and 1/4" connection for pressure manometer.

With the fresh gas feed tube within 9/16" of the mask fitting, the kinetic energy of the incoming gases decreases dead space in the elbow.

Machine end is 15mm male. Patient end is nominal 22mm male and 15mm female.

Elbow, Lightweight Aluminum Elbow, Chrome-plated Brass

#19-00-229 #19-00-488





#19-00-164





#19-00-251-D

Elbow, Lightweight Aluminum

19mm male x 19mm male x 19mm male.

Modified Ayres "T" Tube

#19-00-456

#19-00-164

15mm male on machine end. Patient end is nominal 22mm male with taper and shoulder for secure fit in masks and 15mm female for tracheal connectors.

In-Line Relief Valve (True APL)

#19-00-250

22mm female x 22mm male / 15mm female with **#19-00-273** relief valve, adjustable from 0-55cm H_2O @ 9 lpm, chrome-plated brass.

In-Line Relief Valve (True APL) Chrome / Brass #19-00-251 Black Delrin #19-00-251-D

15mm male x 15mm female with #19-00-273 relief valve, adjustable from 0-55cm H_2O @9 lpm.

Sampling Tee, Luer

#19-00-90

15mm male x 15mm female ends with a female Luer lock sampling port.



"T" TUBES

Summers	Type	"T"	Tube
Julillieis	IVDE		IUDE

#19-00-239

#19-00-239

#19-00-240



The Summers "T" Tube incorporates all the favorable characteristics described as fundamental principles of "T" pieces: negligible expiratory resistance, simplicity and minimum dead space. With the fresh gas inlet within 9/16" of the end fitting, the kinetic energy of the incoming gases decreases dead space in the fitting.

Patient end is 15mm female. Machine end is 15mm male. Inlet is 1/4" OD.

Washington Type "T" Tube

#19-00-240

The Washington "T" Tube incorporates all the favorable characteristics of fundamental "T" piece design in a shorter length version. Additionally, with the fresh gas inlet within 9/16" of the end fitting, the kinetic energy of the incoming gases decreases dead space in the fitting.

#19-00-184



Patient end is 15mm female. Machine end is 15mm male. Inlet is 1/4" OD.

#19-00-235



BUSHINGS AND ADAPTERS

Male Connector #19-00-184 #19-



Male Bushing #19-00-235 15mm male x 5/8" tube.

#19-00-430



Female Bushing #19-00-236 15mm female x 5/8" tube.

#19-00-430

#19-00-241 #19-00-241

the state of the s

Female Connector 15mm female x 15mm female.

22mm male x 22mm male.

Corrugated Tubing Connector

15mm male x 15mm male.

BAG & TUBING ADAPTERS

Scavenging Adapter (Brass, Chrome Plated) #19-00-91

22mm female x 19mm male.

Tube Adapter (Aluminum) #19-00-95

Corrugated tube adapter aluminum bushing 7/8" O.D. x 15mm female.

Bag Bushing: Cage (Brass, Chrome Plated) #19-00-97

Reduces 7/8" bag to 15mm female, with cage on bag end.

Bag Bushing: Cage (Stainless Steel) #19-00-219-S

Adapts 5/8" rolled neck bag to 15mm female with cage on bag end.

Bag Bushing: (Brass, Chrome Plated) #19-00-98

Reduces 7/8" bag or tube to 15mm female.

Bag Bushing: (Neoprene) #19-00-455

Reduces 7/8" bag or tube to 15mm female.

Male Bushing (Stainless Steel) #19-00-235

15mm male x 5/8".

Female Bushing (Stainless Steel) #19-00-236

15mm female x 5/8".

Hose Adapter (Delrin) #19-00-414

15mm female x 1/2" diameter hose connector.

Universal Adapter #19-00-320

Large end is 22mm female. Small end is 15mm female.



#19-00-320 #19-00-414



#19-00-91



#19-00-95

#19-00-97



#19-00-219-S





#19-00-98

#19-00-455





#19-00-235

#19-00-236



CHROME-PLATED BRASS (*LF)

Rabbit Ears #19-00-411

Modified Ayers "T" Tube. Legs are 3/8" O.D. and the patient end is 15mm female.

Inhaler "Y" #19-00-413

15mm female with two 1/2" O.D. legs.

#19-00-437 Rendell-Baker Bifurcated Mask Chimney Piece

With gas inlet and spring-loaded pop-off. The machine end is 15mm male and the patient end is 7/8" O.D. for masks.

Large Bore Gas Inlet "T" Tube

#19-00-460

15mm male x 15mm female "T" Tube for sequential pediatric assembly with large bore gas inlet 3/8" O.D.

T.I.B. Adapter #19-00-461

22mm male x 22mm female with 3/8" side tubing connection at 90°.











#19-00-413



#19-00-461



#19-00-404

#19-00-407



#19-00-408

Catheter or Hose Adapter

#19-00-404

15mm male x 15mm female with 5mm sampling hose fitting.

Inlet Adapter, Vaporizer

#19-00-407

Female 23mm inlet adapter with 5/16" hose nipple.

Outlet Adapter, Vaporizer

#19-00-408

Male 23mm outlet adapter with 5/16" hose nipple.

Mask Adapter

#19-00-129

15mm male on the machine end. Patient end is nominal 22mm male and 15mm female.

#19-00-129

*LF = Latex Free

CONDUCTIVE NEOPRENE (*LF)

Chimney "Y" #19-00-450

Patient end is nominal 22mm O.D. and 15mm female. Machine ends are 7/8" O.D.

Chimney "Y" with Pop-off #19-00-450-P

Same as #19-00-450 but with a spring-loaded, adjustable pop-off valve.

Catheter "Y" #19-00-451 #19-00-450-P

Patient end is nominal 22mm O.D. and 15mm female. Machine ends are 7/8" O.D.

Catheter "Y" with Pop-off #19-00-451-P

Same as #19-00-451 but with a spring-loaded, adjustable pop-off valve.



#19-00-451



#19-00-450





Straight "Y" Piece with Pop-off

#19-00-405

Has slight bevel downward of 15mm female on patient end for better contour fitting of mask on face. Machine ends are 7/8" O.D. Includes large sized adjustable pop-off valve and attachment posts.

Straight "Y" Piece with Posts

#19-00-406

Has slight bevel downward of 15mm female on patient end for better contour fitting of mask on face. Machine ends are 7/8" O.D. Includes attachment posts.

Pediatric E/T "Y"

#19-00-237

Patient E/T "Y" Bifurcated. Patient end is 15mm female. Machine ends are 5/8" O.D. Stainless steel construction.

Adult E/T "Y" #19-00-238

Adult E/T "Y" Bifurcated. Lightweight stainless steel with septum and harness knobs. Patient end is 15mm female. Machine ends are 7/8" O.D. Stainless steel construction.





#19-00-238



*LF = Latex Free


Features

- Reusable
- Clear Polycarbonate
- Durable

Anesthesia Wye Connectors

#GZBE-127-7.5


Slip-Proof Connector with 15mm I.D./22mm O.D. and 7.5mm temperature probe







#GZ-BE127-40

Slip Proof Wye Connector with 15mm I.D. - 22mm O.D. and pressure port






Slip-Proof Wye Connector with 15mm I.D./22mm O.D. with temperature probe and pressure port



#GZ-NR128

Parallel Anesthesia Wye with 22mm O.D. x 22mm O.D. x 15mm I.D./22mm O.D.



#GZ-BE127-7.5-40P*

Pediatric Slip Proof Wye Connector with 15mm I.D - 22mm O.D with temperature probe and pressure port

* Limited Availability

^{*} Limited quantity Special order (4-6 weeks)



Double Nasopharyngeal Airway Adapter


A double pharyngeal airway adapter makes a larger volume of gas available without increasing resistance or patient effort.

Curved with 15mm male inlet, makes use of any system of introducing the anesthetic gases over the head. Available in four sizes.

#19-003236	Double Airway Adapter - 6.0mm
#19-003237	Double Airway Adapter - 7.0mm
#19-003238	Double Airway Adapter - 8.0mm
#19-003239	Double Airway Adapter - 9.0mm

Endotracheal Connectors

- Disposable connectors
- Economical, durable plastic connectors manufactured to precise standards (10 units per package)
- Connector 15mm
- Non-sterile



Straight

Item Number	Sizes	Item Number	Sizes
#12-501003015	1.5mm	#12-501003065	6.5mm
#12-501003020	2.0mm	#12-501003070	7.0mm
#12-501003025	2.5mm	#12-501003075	7.5mm
#12-501003030	3.0mm	#12-501003080	8.0mm
#12-501003035	3.5mm	#12-501003085	8.5mm
#12-501003040	4.0mm	#12-501003090	9.0mm
#12-501003045	4.5mm	#12-501003095	9.5mm
#12-501003050	5.0mm	#12-501003100	10.0mm
#12-501003055	5.5mm	#12-501003105	10.5mm
#12-501003060	6.0mm	#12-501003110	11.0mm

90° connector (Magill Type)

Constructed from chrome plated brass, these connectors are available with and without ports. Proximal end of all sizes fits 5/16" tubing.

Item Number	Sizes	Item Number	Sizes
		Ported	
#19-003143	3mm	#19-00314P3	3mm
#19-003144	4mm	#19-00314P4	4mm
#19-003145	5mm	#19-00314P5	5mm
#19-003146	6mm	#19-00314P6	6mm
#19-003147	7mm	#19-00314P7	7mm
#19-003148	8mm	#19-00314P8	8mm
#19-003149	9mm	#19-00314P9	9mm




STANDARD STRAIGHT (Chrome Plated Brass)

	Item #	Sizes	
	#19-00-311-3	3mm	
	#19-00-311-4	4mm	_
	#19-00-311-5	5mm	
	#19-00-311-6	6mm	
	#19-00-311-7	7mm	
	#19-00-311-8	8mm	
١	#19-00-311-9	9mm	

Standard 90° Curved

Standard Curved 90° with port






Item Number	Size
#19-00-313-3	3mm
#19-00-313-4	4mm
#19-00-313-5	5mm
#19-00-313-6	6mm
#19-00-313-7	7mm
#19-00-313-8	8mm
#19-00-313-9	9mm



	٠.
Item Number	Size
#19-00-313-P-3	3mm
#19-00-313-P-4	4mm
#19-00-313-P-5	5mm
#19-00-313-P-6	6mm
#19-00-313-P-7	7mm
#19-00-313-P-8	8mm
#19-00-313-P-9	9mm

CONNECTORS - DISPOSABLE



Nursing staffs report fewer dislodgments and less patient irritation when using MEDICOMP's CPAP Nasal Cannula. The MEDICOMP design allows your nursing staff to perform routine care procedures without interrupting CPAP therapy. This frees up staff time.

Designed for single-patient use.

Small CPAP Nasal Cannula 12/case Medium CPAP Nasal Cannula 12/case Large CPAP Nasal Cannula 12/case Small CPAP Cannula w/Cap 12/case Medium CPAP Cannula w/Cap 12/case Large CPAP Cannula w/Cap 12/case Small/Medium CPAP Cap Only 12/case Large CPAP Cap Only 12/case



Infant with CPAP Nasal Cannula and Cap. Cannula held securely in place with cloth



5-in-1 Ribbed Tubing Connector

- Plastic
- Single Use

#10-81060 100/box

Christmas Tree Adapter



• Universal oxygen connector (fits all flowmeters) • Replaces expensive nuts and nipples • High grade plastic resists breakage • Deep grooved barbs to prevent oxygen leakage • Low cost allows unit to be used as a disposable.

#10-81050 Oxygen (Green) 50/box **#10-81051** Medical air (Yellow) 50/box

Trach Tee 4 - way Fitting • Plastic



Single-Use

#58-395307 50/box

Supply Line Adapter (Also known as Bird Adapter)



For extending smooth bore oxygen tubing. Tapered for excellent gripping.

#BR-65100 Adapter for oxygen line 200/box

Mouthpiece, Universal Fit



#BR-64440 Packaged in bulk 100/box #BR-64441 Individually packaged 100/box