

Gauges

Pressure Gauges

#69-20000
#69-20001
#69-20002



#69-20003
#69-20004

Oxygen contents - 1 1/2" dial - 1/8" NPT - 0-4000PSI Green Face
Oxygen contents - 2" dial - 1/4" NPT - 0-4000PSI Green Face
All gases contents - 2" dial - 1/4" NPT - 0-4000PSI White Face (non-hazardous gases)
All gases contents - 1 1/2" dial - 1/8NPT 0-4000PSI White Face (non-hazardous gases)
Nitrous oxide contents - 2" dial - 1/4" NPT - 0-1000PSI Blue Face

0-15 Liter Gauges

#69-20005

#69-20006
#69-20031



Oxygen flow - 77 orifice - 1 1/2" dial - 1/8" NPT - Green or White Face
Oxygen flow - 77 orifice - 2" dial - 1/4 NPT - Green or White Face
All gases flow - 77 orifice - 2" dial - 1/4" NPT - White face (non-hazardous gases)

0-8 Liter Gauges

#69-20021
#69-20022

Oxygen flow - 80 orifice - 1 1/2" dial - 1/8" NPT - Green Face
Oxygen flow- 2" dial - 1/4" NPT - Green Face

0-5 Liter Gauges

#69-20023
#69-20030

Oxygen flow - special dial - 2" dial - 1/4" NPT - Green Face
Oxygen flow- special dial - 1 1/ 2" dial - 1/8" NPT - Green Face



1/32 to 1/2 Liter Gauges

#69-20026

Oxygen flow - special orifice - 2" dial - 1/4" NPT - Green Face

0-100 PSI Gauges

#69-20007
#69-20008
#69-20009
#69-20010
#69-20032

Oxygen - 11/2" dial - 1/8" NPT - Green Face
Oxygen - 2" dial - 1/4" NPT - Green Face
All gases - 2" dial - 1/4" NPT - White Face (non-hazardous gases)
Nitrous Oxide - 2" dial - 1/4" NPT - Blue Face
All gases - 1 1/2" dial - 1/8" NPT - White Face (non-hazardous gases)

Other Gauges

#69-20020

Nitrogen bottom mount (0-300PSI)



Miscellaneous Gauges (Bottom Mount - White Face) (non-hazardous gases)

#69-20033
#69-20014
#69-20015
#69-20016
#69-20017
#69-20018
#69-20019

All gases pressure gauge - 2" dial - 0-15 PSI - 1/4 NPT
All gases pressure gauge - 2" dial - 0-30 PSI - 1/4 NPT
All gases pressure gauge - 2" dial - 0-60 PSI - 1/4 NPT
All gases pressure gauge - 2" dial - 0-200 PSI - 1/4 NPT
All gases pressure gauge - 2" dial - 0-400 PSI - 1/4 NPT
All gases pressure gauge - 2" dial - 0-600 PSI - 1/4 NPT
All gases pressure gauge - 2" dial - 0-1000 PSI - 1/4 NPT

Back Mounted Gauges

#69-20011
#69-20024
#69-20025

Oxygen 0-15 LPM flow - 1 1/2" dial - 1/8" NPT - Green Face
Oxygen 0-8 LPM flow - 1 1/2" dial - 1/8" NPT - Green Face
Pressure 0-60 PSI - 1 1/2" dial - 1/8" NPT - White Face (non-hazardous gases)

#69-20012
#69-20013

Oxygen contents - 1 1/2" dial - 1/8" NPT - Green Face
Nitrogen (0-300 PSI) 1/8" NPT (typically done on bone drill regulators)

#69-20027
#69-20029

Pressure 0-100 PSI - 1/8" NPT - White Face
Oxygen 0-15 LPM flow - 1 1/2" dial - NPT - Green Face



Gauges

VACUUM GAUGES



- #69-20028 Vacuum contents - 1 1/2" dial - 0-30 in. HG - 1/8" NPT back mount
- #06-130096PG Vacuum - 0-200mm Hg - 3" dial - 1/4" NPT bottom mount
- #06-130097PG Vacuum - 0-60cm H2O - dial - 1/4" NPT back mount
- #69-20035 Vacuum contents - 2" dial - 0-30 in. Hg - 1/4" NPT bottom mount, black casing

REPLACEMENT GAUGES FOR MADA® & ERIE® REGULATORS



- #69-20036 1 1/2" Diameter, 5 LPM, 1/8" NPT Male Bottom Port
- #69-20037 1 1/2" Diameter, 5 LPM, 1/8" NPT Male Back Port
- #69-20038 1 1/2" Diameter, 8 LPM, 1/8" NPT Male Bottom Port
- #69-20039 1 1/2" Diameter, 8 LPM, 1/8" NPT Male Back Port
- #69-20040 1 1/2" Diameter, 15 LPM, 1/8" NPT Male Bottom Port
- #69-20041 1 1/2" Diameter, 15 LPM, 1/8" NPT Male Back Port
- #69-20042 1 1/2" Diameter, 4,000 PSI, 1/8" NPT Male Bottom Port
- #69-20043 1 1/2" Diameter, 4,000 PSI, 1/8" NPT Male Back Port

REPLACEMENT LEXAN® GAUGE COVERS



- #69-20741 Lens - for 1 1/2" gauge - snap on or screw type
- #69-20742 Lens - for 2" gauge - snap on or screw type



ORIFICES



- #69-21001 Body, CGA 1240 with No. 77 drill orifice x 1/8" NPT male
- #69-21002 Body, CGA 1240 with No. 80 drill orifice x 1/8" NPT male
- #69-21003 Body, CGA 1240 with No. 73 drill orifice x 1/4" NPT male
- #69-21004 Body, CGA 1240 with No. 77 drill orifice x 1/4" NPT male
- #69-21005 Body, CGA 1240 with No. 80 drill orifice x 1/4" NPT male
- #69-21006 Hose barb with No. 77 drill orifice x 1/8" NPT male
- #69-21007 Body, CGA 1200 with special orifice for 0-5 LPM gauges x 1/4" NPT male
- #69-21008 Body, CGA 1240 with special orifice for 0-1/2 LPM gauges x D.I.S.S. female
- #69-21009 Hose barb (3/16") - 90° with special orifice for 0-5 LPM gauges x 1/4" NPT male

Gauges and Accessories

Manometer

Manometer has range of -40 to +80 cm H₂O in a 2-1/2" diameter chrome-plated case with 1/4 MPT bottom connection. Has front zero correcting screw.

Manometer, Max Hold Pointer

#19-00-199 gauge with resetable low friction pointer to capture maximum pressure or vacuum reading.

Manometer, MRI Compatible

Similar to #19-00-199, but constructed of brass and synthetics to allow use in powerful MRI environment. No ferrous components.

Gauge Guard (only)

To fit #19-00-199 style Manometers. Constructed of PVC elastomer with rear mounted attachment strips.

Dovetail Manometer Mounting

For use with #19-00-199 or #19-00-274 Manometer. Male portion of dove-tail mounts to any flat surface by means of screws provided. Female portion attaches to mounting screws on back of gauge.

Swivel Manometer Mounting

For use with #19-00-199 or #19-00-274 Manometer. Mounts to any flat surface and to the base of the gauge. Provides 4-1/2" swivel arms with 180° dual pivot. Stainless and nylon.

Pole Clamp Manometer Mounting

For use with #19-00-199 or #19-00-274 Manometer. Accommodates up to 1" pole, square or round. Attaches to mounting screws on back of gauge.

Pressure Relief Valve (APL)

True APL adjustable valve with settings of 0-55 cm H₂O at 9 lpm. Mounting thread is 1/2-20.

Manometer w/ APL Valve

#19-00-199 Manometer above with P-159 "Tee" (1/4" tube) and #19-00-273 APL valve adjustable from 0-55 cm H₂O at 9 lpm.

Manometer, Max Hold w/ APL Valve

#19-00-274 with resetable pointer to capture maximum pressure or vacuum reading. (Not shown)

Manometer w/ Harness and Adapters

#19-00-199 Manometer above with 15mm female adapter #19-00-275-1, neoprene elbow #19-00-452, and harness #19-00-276. Used post-operatively for lung function evaluation.

Manometer, Max Hold w/ Harness

#19-00-275 with resetable pointer to capture maximum pressure or vacuum reading. (Not shown)

Adapter, Tube

Threaded tubing adapter for use with #19-00-199 Manometer. 1/4 F.P.T. by 1/4 O.D. tubing attachment.

Adapter, Tee

"Tee" 1/4 F.P.T. x 1/2-20 with 1/4 O.D. tubing attachment.

Replacement Crystal, Standard

For #19-00-199, #19-00-274, and #19-00-275 gauges.

Replacement Crystal, Max Hold Pointer

For #19-00-199-MAX, #19-00-274-MAX, and #19-00-275-MAX gauges.

#19-00-199

#19-00-199-MAX

#19-00-199-MRI

#19-00-150

#19-00-195

#19-00-196

#19-00-200

#19-00-273

#19-00-274

#19-00-274-MAX

#19-00-275

#19-00-275-MAX

#19-00-489

#19-P-159

#19-P-158

#19-P-158-MAX

#19-00-150

#19-00-199

#19-00-199-MAX

#19-00-195

#19-00-196

#19-00-200

#19-00-274

#19-P-159

#19-00-273

#19-00-489

#19-00-275

#19-00-276

#19-00-452

#19-00-275-1

