

# IV Poles



## Patient Pal® I.V. Stand #BD-144

*IV Stands - Dual Pole 6-Legs*


- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- Welded steel base pole with epoxy finish
- Stainless steel dual pump adapter
- Slow-descending stainless telescoping top poles
- 2 x 4 hook tops
- Patient support wheel and utility tray
- 6-outlet electrical strip with protective cover
- Oxygen tank holder for D & E size cylinders
- Stainless S hook
- 99" fully extended; 68" compressed
- Shipping box is 23" x 20" x 35"; shipping weight is 43 lbs.



## Patient Pal® I.V. Stand #BD-146

*IV Stands - Dual Pole 6-Legs*

- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- Welded steel base pole with epoxy finish
- Stainless steel dual pump adapter
- Slow-descending stainless telescoping top poles
- 2 x 4 hook tops
- Patient support wheel and utility tray
- 4-outlet electrical strip with protective cover
- Oxygen tank holder for D & E size cylinders
- Stainless S hook
- 99" fully extended; 68" compressed
- Shipping box is 23" x 20" x 35"; shipping weight is 43 lbs.



## Patient Pal® I.V. Stand #BD-147

*IV Stands - Tri Pole 6-Legs*

- 25" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- Welded steel base pole with epoxy finish
- Stainless steel tri pump adapter
- Slow-descending stainless telescoping top poles
- 2 x 4 hook tops
- Patient support wheel and utility tray
- 6-outlet electrical strip with protective cover
- Oxygen tank holder for D & E size cylinders
- 90" fully extended; 65" compressed
- Shipping hex box is 13" x 13" x 13" x 35"; shipping weight is 48 lbs.



## Patient Pal® I.V. Stand #BD-101

*IV Stands - Single Pole 4-Legs*

- 24" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- Welded steel base pole with epoxy finish
- Slow-descending stainless telescoping top pole
- 4 hook top
- Patient support wheel and utility tray
- Oxygen tank holder for D & E size cylinders
- Stainless S hook
- 99" fully extended; 68" compressed
- Shipping box is 18" x 18" x 35"; shipping weight is 32 lbs.

# IV Poles



**Petite Patient Pal®  
I.V. Stand  
#BD-102**  
*IV Stands - Single Pole 4-Legs*

- Pediatric version of Patient Pal I.V. Stand (#BD-101)
- 24" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with 4 sets of ball bearings (10 yr. warranty)
- Welded steel base pole with epoxy finish
- slow-descending stainless telescoping top pole
- 4 hook top
- Patient support wheel and utility tray
- Oxygen tank holder for D & E size cylinders
- Stainless S hook
- 89" fully extended; 56" compressed
- Shipping box is 18" x 18" x 35"; shipping weight is 32 lbs.



**Petite Patient Pal®  
I.V. Stand  
#BD-111**  
*IV Stands - Single Pole 4-Legs*

- Pediatric version of Patient Pal I.V. Stand (#BD-101)
- 24" diameter, low-center-of-gravity stainless steel base with brushed finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- Welded stainless steel base pole
- Slow-descending stainless telescoping top pole
- 4 hook top
- Patient support wheel and utility tray
- Oxygen tank holder for D & E size cylinders
- Stainless S hook
- 89" fully extended; 56" compressed
- Shipping box is 18" x 18" x 35"; shipping weight is 32 lbs.



**I.V. Stand  
#BD-133TUV**  
*IV Stands - Single Pole 5-Legs*

- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- Two casters with brakes
- Knockdown steel base pole with epoxy finish
- Slow-descending stainless telescoping top pole
- 4 hook top
- Oxygen tank holder for D & E size cylinders
- Stainless S hook
- 99" fully extended; 68" compressed
- Shipping box is 23" x 6" x 35"; shipping weight is 33 lbs.



**Patient Pal® I.V. Stand  
#BD-118TUV**  
*IV Stands - Single Pole 5-Legs*

- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- Two casters with brakes
- Knockdown steel base pole with epoxy finish
- Slow-descending stainless telescoping top pole
- 4 hook top
- Patient support wheel and utility tray
- Oxygen tank holder for D & E size cylinders
- Stainless S hook
- 99" fully extended; 68" compressed
- Shipping box is 23" x 6" x 35"; shipping weight is 34 lbs.

# IV Poles



## Patient Pal® I.V. Stand #BD-122TUV

*IV Stands - Single Pole 5-Legs*

- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- Two casters with brakes
- Knockdown steel base pole with epoxy finish
- Slow-descending stainless telescoping top pole
- 5 hook top
- Patient support wheel and utility tray
- Oxygen tank holder for D & E size cylinders
- Stainless S hook
- 101" fully extended; 75" compressed
- Shipping box is 23" x 6" x 35"; shipping weight is 35 lbs.



## Stainless Steel I.V. Stand #BD-114

*IV Stands - Single Pole 6-Legs*

- 22" diameter, low-center-of-gravity stainless steel base with brushed finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- Welded stainless steel base pole
- Slow-descending stainless telescoping top pole
- 4 hook top
- 99" fully extended; 68" compressed
- Shipping box is 23" x 20" x 35"; shipping weight is 33 lbs.



## I.V. Stand #BD-126

*IV Stands - Single Pole 6-Legs*

- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- Welded steel base pole with epoxy finish
- Slow-descending stainless telescoping top pole
- 4 hook top
- 99" fully extended; 68" compressed
- Shipping box is 23" x 20" x 35"; shipping weight is 33 lbs.



## Lightweight I.V. Stand #BD-336

*IV Stands - Single Pole 5-Legs*

- 25" diameter, aluminum base with epoxy finish
- 2.5" twin wheel plastic casters
- Knockdown 50" stainless steel pole with slow-descending telescoping inner pole
- 4 hook top
- 102" fully extended; 56" compressed
- Shipping box is 24" x 6" x 50"; shipping weight is 17 lbs.

# IV Poles



## I.V. Stand #BD-107

*IV Stands - Single Pole 4-Legs*

- 24" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- Welded steel base pole with epoxy finish
- Slow-descending stainless telescoping top pole
- 4 hook top
- 99" fully extended; 68" compressed
- Shipping box is 18" x 18" x 35"; shipping weight is 29 lbs.



## I.V. Stand #BD-135

*IV Stands - Single Pole 5-Legs*

- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- Welded steel base pole with epoxy finish
- Slow-descending stainless telescoping top pole
- 4 hook top
- 99" fully extended; 68" compressed
- Shipping box is 22" x 20" x 35"; shipping weight is 32 lbs.



## I.V. Stand #BD-135TUV

*IV Stands - Single Pole 5-Legs*

- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- Two casters with brakes
- Knockdown steel base pole with epoxy finish
- Slow-descending stainless telescoping top pole
- 4 hook top
- 99" fully extended; 68" compressed
- Shipping box is 23" x 6" x 35"; shipping weight is 32 lbs.



## Table Top I.V. Stand #BD-416

*IV Stands - Table Top*


- 8" x 15" aluminum base with epoxy finish
- Slow descending stainless telescoping pole
- 2 hook top
- 27" fully extended; 15" compressed
- Shipping box is 15" x 17" x 5"; shipping weight is 5 lbs.

# IV Poles



**Table Top I.V. Stand  
#BD-415**  
*IV Stands - Table Top*

- 8" x 15" steel base with epoxy finish
- Slow descending telescoping stainless pole
- 8 hook rake top
- 27" fully extended; 15" compressed
- Shipping box is 15" x 17" x 5"; shipping weight is 11lbs.



**Koala Klip®**

The **Koala Klip®** is a flexible, circular clip that organizes up to six medical tubes, cables and/or IV lines. It consists of a primary clip that is anchored onto IV poles, bedrails and plastic tubing, such as ventilator tubes or even used free-floating. Incorporated to the outside of the primary clip are six outer clips. Koala Klip enables medical personnel to keep tubes, cables and IV lines tangle-free. In one quick visual glance, staff can recognize one tube from another. The outer clips are varied in size so as to accommodate numerous diameters of IV lines. Koala Klip provides organization, valuable time saving to medical personnel and improved safety.

**Features:**

- Six clip design organizes up to six medical tubes, cables and/or IV lines.
- Easy identification of tubes, cables and/or lines.
- Accommodates various diameter tubes, cables and/or IV lines.
- Non-pinch clip design.
- Made of flexible and durable lightweight plastic.
- Can be anchored to IV pole, bed rails, lightweight flexible plastic tubing or free-floating.

**Benefits:**

- Greatly reduces the time spent on the set-up of patient tube, cable and/or IV line.
- Quick and easy identification of medical tubes, cables and/or IV lines.
- Promotes patient safety.
- Keeps medical tubes, cables and/or lines tangle-free.

**#FZ-00890640002881 Qty: 100/Box**



**Trans-Pal® I.V. Stand  
#BD-101T**  
*IV Stands - Single Pole 4-Legs*

- 24" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with 4 sets of ball bearings (10 yr. warranty)
- Welded steel base pole with epoxy finish
- Slow-descending stainless telescoping top pole
- 4 hook top
- Headboard mating support wheel
- 99" fully extended; 68" compressed
- Shipping box is 18" x 18" x 35"; shipping weight is 32 lbs.



# IV Poles



## Patient Pal® I.V. Stand #BD-113

*IV Stands - Single Pole 4-Legs*

- 24" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- Welded steel base pole with epoxy finish
- Slow-descending stainless telescoping top pole
- 4 hook top
- Patient support wheel and utility tray
- 99" fully extended; 68" compressed
- Shipping box is 18" x 18" x 35"; shipping weight is 32 lbs.



## Patient Pal® I.V. Stand #BD-115

*IV Stands - Single Pole 6-Legs*

- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- Welded steel base pole with epoxy finish
- Slow-descending stainless telescoping top pole
- 4 hook top
- Patient support wheel and utility tray
- 99" fully extended; 68" compressed
- Shipping box is 23" x 20" x 35"; shipping weight is 35 lbs.



## Stainless Steel Patient Pal® I.V. Stand #BD-103

*IV Stands - Single Pole 4-Legs*

- 24" diameter, low-center-of-gravity stainless steel base with brushed finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- Welded stainless steel base pole
- Slow-descending stainless telescoping top pole
- 4 hook top
- Patient support wheel and utility tray
- Oxygen tank holder for D & E size cylinders
- Stainless S hook
- 99" fully extended; 68" compressed
- Shipping box is 18" x 18" x 35"; shipping weight is 32 lbs.



## Petite Patient Pal® I.V. Stand #BD-119TUV

*IV Stands - Single Pole 5-Legs*

- Pediatric version of Patient Pal I.V. Stand (#BD-118TUV)
- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- Two casters with brakes
- Knockdown steel base pole with epoxy finish
- Slow-descending stainless telescoping top pole
- 4 hook top
- Patient support wheel and utility tray
- Oxygen tank holder for D & E size cylinders
- Stainless S hook
- 89" fully extended; 56" compressed
- Shipping box is 23" x 6" x 35"; shipping weight is 34 lbs.

# IV Poles



## Lightweight I.V. Stand #BD-326

*IV Stands - Single Pole 5-Legs*

- 25" diameter, aluminum base with epoxy finish
- 2" hooded casters
- Knockdown stainless base pole
- Slow-descending stainless telescoping top pole
- 4 hook top
- 94" fully extended; 67" compressed
- Shipping box is 33" x 6" x 23"; shipping weight is 13 lbs.



## Trans-Pal® I.V. Stand #BD-137T

*IV Stands - Single Pole 4-Legs*

- 24" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- Welded steel base pole with epoxy finish
- Telescoping base pole with gas shock; adjusts up to 10"
- Slow-descending stainless telescoping top pole
- 4 hook top
- Headboard mating support wheel
- 100" fully extended; 62" compressed
- Shipping box is 18" x 18" x 35"; shipping weight is 32 lbs.



## Lightweight I.V. Stand #BD-328

*IV Stands - Single Pole 5-Legs*

- 25" diameter, aluminum base with epoxy finish
- 2" hooded casters
- Knockdown stainless base pole
- Slow-descending stainless telescoping top pole
- Patient support wheel and optional utility tray
- 4 hook top
- 94" fully extended; 67" compressed
- Shipping box is 33" x 9" x 23"; shipping weight is 16 lbs.



## Trans-Pal® I.V. Stand #BD-372

*IV Stands - Single Pole 6-Legs*

- 25" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- Welded steel base pole with epoxy finish
- Slow-descending stainless telescoping top pole
- 8 hook rake top
- Headboard mating support wheel
- 99" fully extended; 68" compressed
- Shipping hex box is 13" x 13" x 13" x 35"; shipping weight is 38 lbs.

# IV Poles



## Patient Pal® I.V. Stand #BD-104

*IV Stands - Single Pole 4-Legs*

- 24" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- Welded steel base pole with epoxy finish
- Slow-descending stainless telescoping top pole
- 5 hook piggyback top
- Patient support wheel and utility tray oxygen tank holder for D & E size cylinders
- Stainless S hook
- 101" fully extended; 75" compressed
- Shipping box is 18" x 18" x 35"; shipping weight is 32 lbs.



## Trans Pal® I.V. Stand #BD-101T5

*IV Stands - Single Pole 5-Legs*

- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- Two casters with brakes
- Knockdown steel base pole with epoxy finish
- Slow-descending stainless telescoping top pole
- 4 hook top
- Headboard mating support wheel
- 99" fully extended; 68" compressed
- Shipping box is 23" x 6" x 35"; shipping weight is 32 lbs.



## Patient Pal® I.V. Stand #BD-116TUV

*IV Stands - Single Pole 5-Legs*

- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- Two casters with brakes
- Knockdown steel base pole with epoxy finish
- Telescoping base pole with gas shock; adjusts up to 10"
- Slow-descending stainless telescoping top pole
- 4 hook top
- Patient support wheel and utility tray
- No oxygen tank holder for D & E size cylinders
- No stainless S hook
- 100" fully extended; 62" compressed
- Shipping box is 23" x 6" x 35"; shipping weight is 35 lbs.




## I.V. Stand #BD-806

*IV Stands - Single Pole 6-Legs*

- 25" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- Welded steel base pole with epoxy finish
- Stainless multiple device mount
- Slow-descending stainless telescoping top pole
- 8 hook rake top
- 99" fully extended; 68" compressed
- Shipping box is 23" x 20" x 35"; shipping weight is 35 lbs.



# IV Poles



**Omni-Pal® I.V. Stand  
#BD-139**  
*IV Stands - Quad Pole*

- Steel H base with 4 legs, with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- 3 stainless steel base poles
- 4 slow-descending stainless telescoping top poles
- 2 x 4 hook tops and 2 x 2 hook tops
- 1 x 6-outlet electrical strip with protective cover
- Oxygen tank holder for D & E size cylinders
- 95" fully extended; 69" compressed
- Shipping boxes are 28" x 25" x 6" and 12" x 12" x 38 ; shipping weights are 40 and 22 lbs.



**Omni-Pal® I.V. Stand  
#BD-141**  
*IV Stands - Quad Pole*

- Stainless with brushed finish H base with 5 legs and 1 folding outrigger leg
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- 3 stainless steel base poles
- 4 slow-descending stainless telescoping top poles
- 2 x 4 hook tops and 2 x 2 hook tops
- 2 x 6-outlet electrical strips with protective covers
- 2 adjustable bed rail brackets
- 95" fully extended; 69" compressed
- Shipping boxes are 28" x 25" x 6" and 12" x 12" x 38 ; shipping weights are 38 and 30 lbs.

## SmartStack I.V. Stand

- Unique nested design allows for organized storage
- Allows for multiple side-by-side applications
- Large, smooth rolling casters
- Adjustable height
- Easy transport



The SmartStack is what you have been waiting for in an I.V. pole! Our specially designed pole base is 100% cast aluminum, providing extra stand support and durability. Its unique design will stack neatly with other bases of its kind, allowing for extra storage space, a more organized facility and easy transportation of multiple stands all at once. Best of all, the SmartStack enables side-by-side mounting of multiple pieces of equipment in only half the space required by other I.V. poles.



### Specifications

Collapsed Height:	52" (fully collapsed from floor to top of hook assembly)
Extended Height:	88 1/4" (fully extended from floor to top of hook assembly)
Casters:	Neoprene Tread, Chrome 3" Smooth Rolling (Precision Bearings) 5 Casters
Wheel Base Diameter:	22"
Nesting Base:	4" (center to center)
Weight:	14.6 lbs (each)
Shipping Weight:	100 lbs (six units)
Vertical Pole Diameter:	1" (base portion) 0.75" (upper portion)
Base Material:	Powder Coated Aluminum
Vertical Pole Material:	Chrome Plated Steel
Wheel Pattern:	Circular, Symmetrically spaced

### Part Numbers

<b>SmartStack™ I.V. Stand Single-pack.</b>	#HO-R100P46-001
<b>Single Tank Holder.</b>	#HO-R105P04
<b>Dual Tank Holder</b>	#HO-R105P04-001
<b>Basket.</b>	#HO-R105P05
<b>Handle.</b>	#HO-R105P06
<b>Blickman Handle.</b>	#HO-R105P06-001
<b>I.V. Pole Collet.</b>	#HO-R105P08